

# **Capturing and Displaying Uncertainty in the Common Tactical/Environmental Picture**

Lawrence D. Stone  
Metron Inc  
11911 Freedom Dr, Suite 800  
Reston, VA 20190  
phone: (703) 787 8700 fax: (703) 787 3518 email: [stone@metsci.com](mailto:stone@metsci.com)

Award Number: N00014-00-D-0125

## **LONG-TERM GOALS**

The long-term goal of this project is to develop methods to characterize and display the uncertainty in target state estimates that result from uncertainty in environmental estimates.

## **OBJECTIVES**

The objectives of this project for FY02 were (1) were to work with ARL/UT to develop methods for applying the likelihood functions to the Echo Tracker Classifier (ETC) process and to determine the effect of environmental uncertainty on the likelihood ratio functions so produced, and (2) to develop methods for incorporating and displaying this uncertainty in a Likelihood Ratio Tracker (LRT)

## **APPROACH**

Metron is part of a larger team headed by APL/UW that includes NRL-SSC, NRL-DC, ARL/UT., and Oregon State University, all funded under the ONR Capturing Uncertainty Directed Research Initiative (DRI). Metron's role in the project is to develop methods of reflecting uncertainty in environmental predictions in likelihood functions used by Bayesian trackers and to represent the resulting uncertainty that this produces in the target state estimate generated by a Bayesian tracker. We are working with ARL/UT to develop a statistical description of the data received by a monostatic active sonar and to construct likelihood functions based on this description. These likelihood functions will be used in a Likelihood Ratio Tracker (LRT).

## **WORK COMPLETED**

We have worked with ARL/UT to develop two likelihood descriptions for characterizing uncertainty at both the signal and information processing level of an active monostatic sonar. The first is a cluster-based likelihood function that was developed using as its basic measured input the mean position of threshold crossings in a cluster and the number of such clusters, as determined by the Echo Tracker Classifier (ETC) automated active sonar system. The second is a measurement log-likelihood ratio (LLR) function based on beamformer output and independent model predictions of mean reverberation. Preliminary comparisons (see Figure 1) made by ARL/UT suggest the LLR may provide a higher signal-to-noise ratio compared to the standard normalizer used in ETC.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 2002</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2002 to 00-00-2002</b>	
4. TITLE AND SUBTITLE <b>Capturing and Displaying Uncertainty in the Common Tactical/Environmental Picture</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Metron Inc.,11911 Freedom Dr, Suite 800,,Reston,,VA, 20190</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <b>The long-term goal of this project is to develop methods to characterize and display the uncertainty in target state estimates that result from uncertainty in environmental estimates.</b>					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

In addition we have been working with NRL-DC to develop methods of displaying the uncertainty in the target state estimates produced by a Bayesian tracker such as Nodestar or LRT.

## **RESULTS**

We have established an approach for applying Likelihood Ratio Tracking to active monostatic sonar. The next step is to incorporate and represent environmental uncertainty in the likelihood functions and the resulting state estimates.

## **IMPACT/APPLICATIONS**


This work should provide the basis for incorporating and displaying uncertainty in target state estimates produce by Bayesian trackers due to uncertainty in environmental predictions such as propagation loss and sound speed. The specific transition target is the US Navy's Common Undersea Picture (CUP) Program..

## **TRANSITIONS**

None.

## **RELATED PROJECTS**

The Integrated ASW project is developing and testing a version of the Likelihood Ratio Tracker (LRT) for use in combining below threshold detections from multiple platforms such as multistatic active detections from IEER and a DDG to produce improved detection performance. The technology developed in this DRI could be incorporated into this version of LRT.



***Figure 1: Plot of the time series based log-likelihood ratio versus output from the ETC normalizer. A 5 dB gain is achieved on the target, with significant noise reduction.***